




THE CONTRACTOR IS RESPONSIBLE FOR NOTIFYING THE HEALTH DEPT., TOWN HALL, TEL. 749-1256 FOR INSPECTIONS AS REQUIRED IN BOARD OF HEALTH SPECIFICATIONS.

----- Existing Contour
 ----- Proposed Contour



PLAN OF SEWAGE DISPOSAL SYSTEM LIBERTY ROAD HINGHAM, MASSACHUSETTS

Prepared for W.E. Leary & Son

Scale: 40 feet to an inch
 April 21, 1977
 Perkins Engineering Inc., Engineers and Surveyors
 10 Industrial Park Road, Hingham, Massachusetts.

Revised: May 13, 1977

Observation Pit "c"
 Not to Scale



Typical Section of Leaching Field
 Not to Scale

Average Percolation rate
 = 3 Minutes per inch @ 43"


Note: Sewage Disposal System to be installed in accordance with Town of Hingham Board of Health and State Sanitary Code Rules and Regulations.

THE CONTRACTOR IS RESPONSIBLE FOR NOTIFYING THE BUILDING DEPT., TOWN HALL, TEL. 749-0593 RELATING TO FOOTING, FOUNDATION, AND OTHER RELATED MATTERS



APPROVED

TOWN OF HINGHAM
 HEALTH DEPT.
 Date: 5/18/77



Ground Water Elev. 125.3

Elevation Section
 Not to Scale

THE CONTRACTOR IS RESPONSIBLE FOR NOTIFYING THE DESIGN ENGINEER, 1256 FOR INSPECTIONS AS REQUIRED IN BOARD OF HEALTH SPECIFICATIONS.

ENGINEERS INSPECTION SCHEDULE
 1st AFTER EXCAVATION BEFORE PUMP PIT OR DIST. BOX
 2nd BEFORE BACK FILLING
 3rd AFTER ALL WORK COMPLETED

6/92 L-3

HEALTH DEPT.